PATL . COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	То:
*	1
NOTIFICATION OF ELECTION	United States Patent and Trademark
(DOT D. 1, 24.3)	Office (Pay PCT)
(PCT Rule 61.2)	(Box PCT) Crystal Plaza 2
	Washington, DC 20231
	ETATS-UNIS D'AMERIQUE
Date of mailing (day/month/year)	in its capacity as elected Office
20 January 1998 (20.01.98)	in its capacity as dieded emiss
International application No.	Applicant's or agent's file reference
PCT/AU97/00436	
International filing date (day/month/year)	Priority date (day/month/year)
09 July 1997 (09.07.97)	09 July 1996 (09.07.96)
Applicant	
MENDELSOHN, Frederick, A., O. et al	
WEIGHE COOTING THE CONTING THE	
The designated Office is hereby notified of its election mad	e:
X in the demand filed with the International Preliminary	Examining Authority on:
08 January 19	
- Oo Sandary 15	30 (00.01.30)
in a notice effecting later election filed with the Intere	national Bureau on:
- · ·	
2. The election X was	
was not	•
made before the expiration of 19 months from the priority	date or, where Rule 32 applies, within the time limit under
Rule 32.2(b).	
1	Authorized officer

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Eugénia Santos

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35




INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference VS:LM:FP4736	FOR FURTHER ACTION		f Transmittal of International Preliminary ort (Form PCT/IPEA/416).	
International application No.	International filing dat	e	Priority Date	
PCT/AU 97/00436	9 July 1997		9 July 1996	
International Patent Classification (IPC)	or national classification	on and IPC		
Int. Cl. ⁶ C07K 7/14, 16/28; A61K 3	1/70, 38/08; C12N 15/1	2		
Applicant (1) HOWARD FLOREY INSTITUTE OF EXPERIMENTAL PHYSIOLOGY AND MEDICINE (2) MENDELSOHN, Frederick A O et al				
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.				
2. This REPORT consists of a to	tal of four sheets, inc	cluding this cover sl	neet.	
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).				
These annexes consist of a total	al of 7 sheet(s).			
3. This report contains indications relat	ing to the following item	ns:		
I X Basis of the repor	I X Basis of the report			
II Priority				
III X Non-establishmen	nt of opinion with regard	l to novelty, inventiv	ve step and industrial applicability	
IV Lack of unity of i	IV Lack of unity of invention			
	V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement			
VI Certain document	Certain documents cited			
VII Certain defects in	II Certain defects in the international application			
VIII Certain observation	VIII Certain observations on the international application			
[
Date of submission of the demand 8 January 1998		ate of completion of June 1998	the report	
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200		Authorized Officer		
WODEN ACT 2606 AUSTRALIA	J.	H. CHAN		
Facsimile No. (02) 6285 3929		elephone No. (02) 62	283 2340	

L Basis	of the	e report		
1. This report has been drawn on the basis of (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):				
	the international application as originally filed.			
	X	the description,	pages 1-2, 6-44, as originally filed,	
			pages , filed with the demand,	
			pages 3-5a, filed with the letter of 7 May 1998,	
			pages, filed with the letter of.	
	X	the claims,	Nos., as originally filed,	
			Nos., as amended under Article 19,	
			Nos., filed with the demand,	
			Nos. 1-17, filed with the letter of 7 May 1998,	
			Nos., filed with the letter of.	
	X	the drawings,	sheets/fig 1/15-15/15, as originally filed,	
			sheets/fig , filed with the demand,	
			sheets/fig , filed with the letter of ,	
			sheets/fig , filed with the letter of .	
2. The amend	ments	have resulted in th	e cancellation of:	
[t	he description,	pages	
	t	he claims,	Nos.	
	t	he drawings,	sheets/fig	
This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).				
4. Additional observations, if necessary:				

III.	Non-establishment of opinion with regard to novelty, inventive step and industrial applicability			
	The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been and will not be examined in respect of:			
	the entire international application,			
	X claims Nos.: 11-17			
because:				
	the said international application, or the said claims Nos. require an international preliminary examination (specify):			
	the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):			
	the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.			
	X no international search report has been established for said claim Nos. 11-17			



V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims 1 Claims	1-10	YES NO
	Inventive step (IS)	Claims 1 Claims	1-10	YES NO
	Industrial applicability (IA)	Claims 1 Claims	1-10	YES NO

- 2. Citations and explanations
- Journal of Neurochemistry (June 1997), volume 68, no: 6, pages 2530-7, I Moeller et al, "the Globin fragment LVV-hemorphin-7 is an endogenous ligand for the AT receptor in the brain"
- D2 Neuropeptides (1995), volume 28, pages 243-250, I Garreau et al; VV-hemorphin-7 and LVV-hemorphin-7 released during in vitro peptic haemoglobin hydrolysis are morphinominetic peptides"
- D3 Biochemical and Biophysical Research Communications (1992), volume 189, no: 1, J Piot et al; "Isolation and characterisation of two opioid peptides from a bovine haemoglobin peptic hydrolysate"
- D4 Biochemical and Biophysical Research Communications (1992), volume 184, no: 2, E Giamsta et al; pages 1060-1066 "Isolation of a haemoglobin-derived opioid peptide from cerebrospinal fluid of patients with cerebrovascular bleedings"
- D5 Biochimica et Biophysica Acta (1980) volume 625, pages 266-273, R Chang et al; "Isolation and structure of several peptides from porcine hypothalami"
- D6 Neurobiology (1996) volume 4, no: 3, pages 279-280, J Szikrat & A Borsodi; "Receptor binding properties of a hemorphin analogue in rat brain membrane preparations"
- D7 Biochemical and Biophysical Research Communications (1994), volume 202, no: 1, pages 410-415, A Karelin et al; "Isolation of endogenous hemorphin-related haemoglobin fragments from bovine brain"
- D8 Nucleic Acids Research (1989), volume 17, no: 21, page 8870, C Woo et al; "cDNA sequences of two β-globin genes in Sprague-Dawley rat" (embl accession numbers M17084 and X16417)

New Citations

D9 EMBL accession numbers M94918, X05080, X67613, S71213 and X15009. Swiss protein accession numbers P02091 and P33584.

Whilst claims 1-10 are to the subject matter - Method for treatment of the human or animal body by surgery or therapy - which are excluded according to Rule 67.1 of the PCT, the novelty, inventive step and industrial applicability of these claims have been examined because the subject matter claimed does not contravene the Australian Patent Law.

Document D1 discloses LVV-hemorphin 7 behaves as a high-affinity ligand for angiotensin IV receptor. However document D1 is published after the priority date of the application, and unless the priority date of the application is challenged, document D1 cannot form part of the prior art as defined in Rule 64.1 of the PCT.

None of the documents D2-D9 discloses the specific pharmacological activity of LVV hemorphin 7 (its high affinity to angiotensin IV receptor) leading to a possible therapeutic use. For these reasons the invention as defined in claims 1-10 is novel and inventive.

Claims 1-10 has industrial applicability according to the Australian Patent Law.

been associated with the regulation of neuronal development. Acetylcholine inhibits neurite outgrowth from embryonic chicken ciliary ganglion cells and sympathetic neurons (Pugh and Berg, 1994; Small et al, 1995), and rat hippocampal neurons (Muttson, 1988). Conversely, vasoactive intestinal peptide stimulates superior cervical ganglion branching (Pincus et al, 1990) and somatostatin increases neuronal sprouting from Helisoma buccal ganglion neurons (Bulloch, 1987).

We have now surprisingly found that the peptide LVV-haemorphin-7, derived from β -globin, acts as an agonist at the AT₄ receptor, and is the endogenous ligand for the AT₄ receptors in the brain. We have characterised its pharmacological activity. This enables us to design novel agonists and antagonists of Ang IV action.

Summary of the Invention

5

10

15

20

According to a first aspect, the invention provides a method of modulating motor neuron activity, cholinergic neuron activity, or neuronal development, comprising the step of administering an effective amount of a neuroactive peptide having at least one of the biological activities of angiotensin IV as herein defined, comprising the amino acid sequence:

25 Leu-Val-Val-Tyr-Pro-Trp-Thr-Gln-Arg-Phe, (SEQ ID NO:1) or a biologically-active analogue or fragment of said peptide to a mammal in need of such treatment. This aspect of the invention specifically includes the use of decapeptide sequence referred to above in the method of the invention which relies on a previously unknown and unsuspected activity of the decapeptide.

It will be clearly understood that the sequence of the invention may be modified by conservative amino acid substitutions, insertions, deletions or extensions,

provided that the biological activity is retained. Such variants may, for example, include sequences comprising D-amino acids, non-naturally occurring amino acids, and/or

amino acid analogues. Thus the analogue may be a peptidomimetic compound.

5

10

Preferably the mammal is a human.

The Ang IV agonist and antagonist compounds according to the invention are useful in the treatment of a variety of conditions, including but not limited to:

- Dementia, including Alzheimer's disease
- Other neurodegenerative disorders involving cholinergic pathways, motor pathways, or sensory pathways, such as motor neurone disease
 - sensory and motor peripheral neuropathies
- brain or spinal cord injury due to trauma, hypoxia or vascular disease.

In a second aspect, the invention provides a non-15 peptide analogue of the peptide of the invention. non-peptide analogue is to be understood to encompass modifications or substitutions of the peptide structure which are designed to improve the bioavailability, metabolic stability, half-life in the body, or to modify 20 the biological activity, of the compound of the invention. Such non-peptide analogues are known in the art, for example compounds in which the peptide backbone is replaced by a non-peptide chain, and are often referred to as peptidomimetic compounds. Alternatively, in one or more of 25 the peptide linkages the order of the nitrogen and carbon atoms can be reversed to form a pseudo peptide bond. or more of the amino acid side-chains may be replaced by an analogous structure of greater stability. Many other such variations will occur to the person skilled in the art. 30 The only requirement is that the overall 3-dimensional structure is sufficiently preserved that ability to bind to the AT4 receptor at suitable affinity is retained. Using modern methods of peptide synthesis and combinatorial chemistry, it is possible to synthesize and test very large 35 numbers of analogues within a short space of time, and such synthesis and screening is routinely carried out by

pharmaceutical companies.

Considerable information is available regarding the structural features of Ang IV peptides which are necessary for high affinity, and these results may be used as guidelines for modification of the peptides of the invention. See for example Wright et al, 1995.

5

10

15

25

30

The person skilled in the art will appreciate that by modifying the sequence or by constructing a nonpeptide analogue the activity of the compound of the invention can be very considerably modified. Not only can improvement in activity be obtained, it is also possible to obtain compounds which bind to the AT4 receptor in such a way that Ang IV activity is inhibited. Such inhibitory compounds can have the ability to antagonize the activity of Ang IV. The person skilled in the art will readily be able to synthesize modified peptides and peptide analogues and to test whether they have activity as Ang IV agonists or antagonists, using methods well known in the art.

According to a third aspect, the invention provides a method of screening for putative agonists or 20 antagonists of the effect of LVV-haemorphin-7 on neuronal activity, comprising the step of testing the ability of the compound to stimulate or inhibit the effect of LVVhaemorphin-7 on a biological activity selected from the group consisting of modifying learning, modifying behaviour, vasoactive effects, dilation of cerebral arteries, increase in renal blood flow, increase in stereotypy behaviour, facilitating memory retrieval, neurite modelling and alleviation of the effects of spinal cord injury.

Thus according to a fourth aspect, the invention also provides compounds which are able to act as agonists or antagonists of the neuroactive peptides of the invention.

35 Detailed Description of the Invention

The invention will be now described in detail by way of reference only to the following non-limiting

- 5a -

examples, and to the figures, in which

Figure 1 shows competition curves derived from prefrontal cortical sections incubated with [125I]Ang IV in the presence of increasing concentrations of the following unlabelled ligands: ▲ Ang IV, □ Ang II, ■ Ang III, Δ Ang II(1-7), \bullet losartan and \circ PD 123319. Values are the mean of four sections, each from two animals. B/Bo x 100 expressed as a percentage available receptors occupied; Figure 2 shows the results of competition binding

studies showing the inhibition of [125I]Ang IV binding to 10

CLAIMS

10

- 1. A method of modulating neuronal activity, comprising the step of administering an effective amount of a neuroactive peptide having at least one of the biological activities of angiotensin IV as herein defined, comprising the amino acid sequence:


 Leu-Val-Val-Tyr-Pro-Trp-Thr-Gln-Arg-Phe, (SEQ ID NO:1), or a biologically-active analogue or fragment of said peptide, to a mammal in need of such treatment.
- 2. A method of modulating neuronal activity, comprising the step of administering a biologically-active non-peptide analogue of the neuronal peptide according to claim 1 to a mammal in need of such treatment.
- 15 3. A method according to claim 2, in which the biologically-active analogue is a peptidomimetic compound.
 - 4. A method according to any one of claims 1 to 3, in which the biological activity is selected from the group consisting of modifying learning, modifying behaviour,
- vasoactive effects, dilation of cerebral arteries, increase in renal blood flow, increase in stereotypy behaviour, facilitating memory retrieval, neurite modelling and alleviation of the effects of spinal cord injury.
- 5. A method according to any one of claims 1 to 4,
 25 wherein said neuronal activity is selected from the group
 consisting of motor neuron activity, cholinergic neuron
 activity and neuronal development.
- 6. A method of treating a condition selected from the group consisting of dementia; Alzheimer's disease;
 30 neuro-degenerative disorders involving one or more of cholinergic pathways, motor pathways, or sensory pathways; motor neuron disease; sensory peripheral neuropathies; motor peripheral neuropathies; brain injury; and spinal cord injury resulting from one or more trauma, hypoxia, and vascular disease, comprising the step of administering an effective amount of a neuroactive peptide having at least one of the biological activities of angiotensin IV as

7/00436

herein defined, comprising the amino acid sequence: Leu-Val-Val-Tyr-Pro-Trp-Thr-Gln-Arg-Phe, (SEQ ID NO:1), or a biologically-active analogue or fragment of said peptide, to a mammal in need of such treatment.

- 5 7. A method according to claim 6, comprising the step of administering a biologically-active non-peptide analogue of the neuroactive peptide of claim 6 to a subject in need of such treatment.
 - 8. A method according to claim 7, in which the
- 10 biologically-active analogue is a peptidomimetic compound.
 - 9. A method according to any one of claims 6 to 8, in which the biological activity is selected from the group consisting of modifying learning, modifying behaviour, vasoactive effects, dilation of cerebral arteries, increase
- in renal blood flow, increase in stereotypy behaviour, facilitating memory retrieval, neurite modelling and alleviation of the effects of spinal cord injury.
 - 10. A method according to any one of claims 1 to 9, in which the mammal is a human.
- 20 11. A method of screening for putative agonists or antagonists of the effect of LVV-haemorphin-7 on neuronal activity, comprising the step of testing the ability of the compound to stimulate or inhibit the effect of LVV-haemorphin-7 on a biological activity selected from the
- group consisting of modifying learning, modifying behaviour, vasoactive effects, dilation of cerebral arteries, increase in renal blood flow, increase in stereotypy behaviour, facilitating memory retrieval, neurite modelling and alleviation of the effects of spinal
- 30 cord injury.
 - 12. An antagonist of LVV-haemorphin-7, identified by the method of claim 11.
 - 13. An agonist of LVV-haemorphin-7, identified by the method of claim 11.
- 35 14. A method of modulating neuronal activity, comprising the step of administering an effective amount of an antagonist according to claim 11 to a mammal in need of





such treatment.

5

- 15. A method of modulating neuronal activity, comprising the step of administering effective amount of an agonist according to claim 12 to a mammal in need of such treatment.
 - 16. A pharmaceutical composition comprising an agonist according to claim 11, together with a pharmaceutically acceptable carrier.
- 17. A pharmaceutical composition comprising an antagonist according to claim 12, together with a pharmaceutically acceptable carrier.